

# TURKEY STANDARDS VET BRIEFING AT A GLANCE



We hope you find this quick reference list of what you need to do differently helpful. The list only covers the changes within each standard - we suggest that you refer to the full standard to ensure you fulfill all requirements.

Those standards which have been revised to provide additional clarity, but do not require members to take different action, have not been listed below.

GF	Grower	FR	Free Range
BL	Breeder Layers	H	Hatchery
BR	Breeder Replacement		

<b>DP.2</b>	GF, BL, BR, FR, H	Risks that are uniquely specific to your site must be considered and documented in your contingency/emergency plan.
	FR	The farm's AI contingency plan must provide details of how to accommodate free range birds as housed without compromising their welfare.
<b>AH.1</b>	GF, BL, BR, FR	A health plan must have been prepared and viewed by the vet who has overall responsibility for the care of your animals.
<b>AH.10.3</b>	BL	The farm should have flock Mycoplasma gallisepticum and Mycoplasma synoviae testing records. Birds should be tested at the prescribed intervals and the results must be retained for five years and communicated to the hatchery.
<b>HC.2</b>	H	The farm should receive the flock testing records of Mycoplasma gallisepticum and Mycoplasma synoviae from the breeder flocks for all incoming eggs. A Mycoplasma containment plan must be in place if setting of eggs from positive flocks is unavoidable.
<b>AM.6</b>	GF, BL, BR, FR, H	Records must be kept of all administered veterinary medicines, including the length of withdrawal period for both meat and eggs (where applicable).
<b>AM.8.1</b>	BL, BR	There must be no prophylactic administration of antibiotics.
<b>AM.9.1</b>	BL, BR	Use of macrolides and fluroquinolones are only used as a last resort.

For more information, visit: [www.redtractorassurance.org.uk](http://www.redtractorassurance.org.uk)