CHICKEN STANDARDS

WHAT'S CHANGED AND WHY VERSION 5.1



The outbreak of highly pathogenic avian influenza in November 2021 has almost certainly been the worst outbreak of the disease in living memory. The impact of this outbreak across the entire poultry industry gave rise to businesses, farmers, industry bodies and government undertaking a wholesale review of biosecurity practises, which in turn precipitated most of the changes presented here for version 5.1. The majority of new and revised standards are largely contained within the biosecurity section, but there are also changes to the housing and shelter section too. These changes can be broadly broken down into three areas:

- improved control of contamination from within the general biosecure area
- reducing the risk from vectors of disease
- and strengthening existing standards

These changes will apply from 1st October 2022.

These updates have been approved by our Technical Advisory Committee of farmers and industry experts, and Sector Board. Find out about the main changes and why we made them in the summary below. The checklist at the end of this document covers all changes and everything a member needs to do differently from October.

The Red Tractor Team



REDTRACTORASSURANCE.ORG.UK

MEMBERHELP@REDTRACTOR.ORG.UK

TELEPHONE: 0203 617 3670

FACEBOOK.COM/REDTRACTORFOOD



TWITTER.COM/RTFARMERS



INSTAGRAM.COM/REDTRACTORFOOD

DOCUMENTS AND PROCEDURES

Red Tractor's reputation is built on traceable, safe food production that has been farmed with care. Maintaining our reputation is crucial to everyone.



This new standard is to verify that farms hold the correct environmental permit where required. Many Red Tractor poultry units have their Environmental Permitting audits done during the same visit as their Red Tractor assessment and this new standard requires no additional action for members. You simply need to ensure that your permit details, if applicable, are available at your next Red Tractor audit. Verification that a permit is held where necessary is important for ensuring compliance with environmental legislation on Red Tractor poultry units.

HOUSING, SHELTER AND HANDLING FACILITIES

The aim for Red Tractor is that all birds have safe, comfortable and hygienic housing.



Litter stores aren't necessarily emptied at the end of each flock cycle, and so litter stores do not naturally fit into the end of flock cycle cleaning and disinfection process. It's important for the control of pathogens and rodents to ensure that when stores are emptied that they are cleaned and disinfected. You should add a clause relating to this into your farm cleaning and disinfection policy, if not already in place. The details for your written cleaning and disinfection policy is found under HF.4.



The standard requirement for cleaning down non-bird biosecure areas at least four times a year has been moved from BI.8.I to HF.4.g as sits more naturally alongside the other requirements for cleaning and disinfection. The expectation of range management remains the same, is a clean down of the apron/hardstanding outside popholes and managing poaching and puddles.



This new audit point recognises that hatcheries should, and do, have written cleaning and disinfecting policies in place to manage hygiene and disease transmission.



Bringing any items inside a poultry house that has been cleaned and disinfected and is occupied or awaiting occupation by birds is considered a risk to biosecurity and vector for disease transmission. The standards have been upgraded, following best practice from industry, and shavings and litter bales must be double wrapped and the wrapping disinfected before bales are moved into bird housing. In practice, this means that the clear plastic wrap on bales is considered single wrapping and storing them with black plastic (or equivalent) over the top is the second plastic wrapping. When moving bales into the shed, either before or during a production cycle, bales must be disinfected before being bought indoors. This can be achieved either by bringing the right number of bales to the outer door of poultry housing and spraying bales individually before moving them into the house, OR by

thoroughly spraying the outer black plastic before cutting into it to access the bales inside. In this scenario, if not all bales are used, they must be re-wrapped and the whole procedure followed again if bales need to be bought into the poultry housing again.



A non-timebound recommendation has been included which asks that all bales are stored in buildings which do not allow for the ingress of wild birds or rodents. Defra have identified that bales stored in the open present more risk from contamination by wild birds than those stored undercover. Many sites will not have the ability to build or dedicate space to a bale store. This standard recognises that it is important to implement where possible as it offers the best opportunity to minimise risk from avian influenza when used in conjunction with excellent biosecurity practices. This is a non-timebound recommendation so there is no obligation to meet it.



The re-wording of this standard improves clarity and helps members understand that where windows are not at 3% equivalency of the floor area members are still obliged to demonstrate that they meet the 20 lux legal minimum. This has to be recorded under the light level records a minimum of once every crop.



This standard has been updated so that birds can have a routine lighting pattern established by seven days of age, rather than three (as before) with a minimum continuous dark period of up to 2 hours (changed from I). This helps ensure that no NCs are raised where members where incrementally increasing light levels more gradually.

ANIMAL HEALTH AND WELFARE

Red Tractor's objective is the proactive management of the health and welfare of all birds through planning and reviewing.



The standards have now been modified to reflect the breed list from the Better Chicken Commitment. This means that the Redbro is limited to indoor use only.



This improves clarity - while there are no changes to the actual standards the amended wording clarifies that platforms must have structures that allow the birds to grip.

BIOSECURITY AND DISEASE CONTROL

Effective biosecurity measures are essential to prevent the spread of disease and protect food safety and bird health. We are providing extra clarity in this area to strengthen biosecurity.

BI.I.b

The policy has been updated to include 'staff' within the areas of risk that have to be assessed as a way to control and minimise the spread of disease on – and in the case of staff – particularly between sites. Ensure that your policy is updated to reflect how you manage the risk of non-site specific staff coming onto site. This is especially relevant where staff are shared between sites through necessity, but equally thought should be given to company staff who travel between sites.

Bl.I.d

It's important that the biosecurity policy is up to date and relevant to the challenges faced by the site. Ensure that there is a process in place for you to review the biosecurity policy annually, and that where necessary, changes take into account any biosecurity issues faced on the site within the prior 12 months.

BI.2.a

There are some amendments to the visitor book requirements. This includes adding where necessary, the site name for visitors last poultry contact within the last 7 days if visited in the UK, or 14 days if overseas. This allows effective trace for any outbreaks as the last named site can be traced – and so on. It's also really important to emphasise that all visitors include anyone who doesn't specifically work at that site.

BI.3.b

Ensuring that biosecurity maps are comprehensive helps the sites manage their biosecurity protocols. This standard has been strengthened to ensure that all farm areas are comprehensively captured. Ensure that the farm site and staff offices are included in your biosecurity maps, if not already in place. Free range members should also include the range associated with each house.

BI.4.g

Whilst standards have always required loading areas to be hygienically managed, there is now a better definition of that explanation, i.e. loading areas must be cleaned at each turn around, or more frequently if required.

Bl.6.h

It's important that foot dips are covered to ensure that they are not diluted by rain, or contaminated by dirt.

BI.6.1

The movement of any items between sheds increases the risk of disease transmission and contamination from outside. The standards already reflect this in terms of footwear, but it's important that opportunities for reducing risk are not missed. Therefore any reusable equipment (i.e. from tractors to buckets) must be managed if being used between sheds. The audit points ensure that everything being taken into the shed is clean and disinfected. This helps reduced the incidence of disease on farm.

BI.6.1.a

It's best to have house dedicated items such as buckets to reduce the risk of contamination between sheds. Where equipment is shared between sheds it must be cleaned and disinfected between sheds. This includes wheelbarrows, shovels, buckets, trolleys, euthanasia equipment, etc.

- BI.6.1.b
- Where houses are bedded up using a tractor, the tractor should have its wheels disinfected between sheds. The loading areas should already be being hygienically managed (Bl.4.g).
- BI.7.1

Defra and APHA have identified that buildings in poor repair provide more opportunities for contamination, either through rodent ingress, or pathogens that have accumulated on the outside, i.e. on the roof, being washed into the shed through any gaps when it rains. It's therefore vitally important to ensure that buildings are a in a good state of repair.

BI.7.1.a

To ensure that this standard can be met, buildings must be inspected at each turn around. This standard is a direct learning from best practice in the industry where end of cycle checklists ensure that buildings are inspected to ensure that they are sound and secure. Members with Environmental Permits will already be required to do this regularly.

BI.7.1.b

Ensure that the building does not have any leaks that allow for the ingress of rainwater, or for rodents.

BI.13.a

APHA are requiring many sites affected by the most recent HPAI outbreak to net any natural ventilation with a gauge of 25mm or less of mesh. This is in recognition of the disease challenge presented by wild birds. It's important that this is reflected in the standards, and many members have already decided to mitigate the risk by installing netting already.

CHECKLIST

СВ	Broilers	-	EW	Enhanced Welfare	-	CD	Breeder Replacements
CF	Free Range		СН	Hatcheries			
СР	Poussin	-	CL	Breeder Layers	-		

DP.5	CB, CF, CP, EW, CL, CD	Does the farm have their environmental permit details available for audit?		No	N/A
HF.4.f	CB, CP, EW, CF CL, CD	Are the litter stores cleaned and disinfected whenever they are empty, and has a clause been added relating to this in your farm cleaning and disinfection policy, if not already in place?	Yes	No	
HF.4.g	CF	For free range members only, has the cleaning and disinfection of non bird biosecure areas been added to the cleaning and disinfection policy?		No	
HF.4.h	СН	For hatcheries, is there a written cleaning and disinfection policy in place?	Yes	No	
HF.4.9	CB, CP, EW, CF, CL, CD	Do you have a dedicated bale store that does not allow for the ingress of wild birds or rodents? This a recommendation only. Criteria to meet this standard requires that open sides are netted with a gauge of 25mm or less, and that buildings used for bale storage are reflected in the site survey for rodent control.	Yes	No	N/A
HF.4.4.c	CB, CP, EW, CF, CL, CD	Are litter and shavings bales, double wrapped? Are bales being disinfected at the point of being moved into bird housing?	Yes	No	
HF.5. a	CB, CP, CF	If you do not have windows at 3%, are you measuring your lux level at bird eye height across 80% of the useable house area during lighting periods and recording this at least once every crop?	Yes	No	N/A
HF.5.1.f	CF	Are you familiar with the new minimum continuous dark period (2 hours, changed from 1) and that there is now 7 days to establish a 6-hour dark period (changed from 3)?	Yes	No	
AH.4.1.d/ AH.4.1.e	CB, CF, CP, EW	If you are using platforms, do they meet the specified requirements which allow birds to grip?	Yes	No	N/A
Bl.I.b	CB, CF, CP, EW, CH, CL, CD	Is your policy updated to reflect how you manage the risk of non-site specific staff coming onto site, especially any staff shared between sites?	Yes	No	

Bl.I.d	CB, CF, CP, EW, CH, CL, CD	Is there a process in place for you to review the biosecurity policy annually, and does the review take into account any biosecurity issues faced on the site within the prior 12 months?		No	
BI.2.a	CB, CF, CP, EW, CH, CL, CD	Have all non site specific staff signed the visitors book and included the site name of their last poultry contact within 7 days (UK) or 14 days (if visited overseas)?		No	
BI.3.b	CB, CP, CF, EW, CL, CD	Are the farm site and staff offices included in your biosecurity maps? For free range members, have you included the range associated with each house?	Yes	No	
BI.4.g	CB, CF, CP, EW, CH, CL, CD	Are loading areas cleaned at least at every turn around, or more frequently if required?	Yes	No	
BI.6.h	CB, CF, CP, EW, CH, CL, CD	Are all outdoor foot dips properly covered?	Yes	No	
BI.6.1	CB, CF, CP, EW, CL, CD	Do you have facilities in place to either have equipment that you use every day dedicated to each house on site, or do you have the facilities to clean and disinfect reusable items if moving them between sheds? Does this include disinfecting tractor wheels between sheds whilst bedding up?	Yes	No	
BI.7.1	CB, CF, CP, EW, CL, CD	Do you have a maintenance log for each house and does it demonstrate that you are recording when checks were done and any issues found along with how and when it was corrected?	Yes	No	
BI.13.a	CB, CF, CP, EW, CH, CL, CD	Is all bird housing with natural ventilation netted with a mesh that has a gauge of 25mm or less?	Yes	No	N/A