

This document has been provided for our members as a checklist which can be used at any time to determine if a farm is meeting the Red Tractor standards for Chickens. This includes the wording of our standards; however, members should refer to the detail within the Chickens Manual to ensure sound understanding of the 'How You Will Be Measured' section as this is what assessors will be auditing on farm.

Standard	Enterprise	Description	Do you meet the standard?		Corrective action
Documents and	d Procedures				
DP.1 Key	CB, CF, CP, EW, CH, CL, CD	The farm, as a whole, must present an acceptable and tidy appearance to the general public. The site management must not present a food safety, animal welfare or environmental risk.	Y	N	
DP.1.1	CB, CF, CP, EW, CH, CL, CD	A farm map must be in place	Y	N	
DP.2	CB, CF, CP, EW, CH, CL, CD	A documented plan for the effective management of serious incidents and potential emergency situations that threaten food safety, legality or the environment must be in place and known to those involved in farm tasks.	Y	N	
DP.2.1	CB, CF, CP, EW, CH, CL, CD	You must contact Red Tractor and/ or your Certification Body immediately if a serious incident or emergency threatens the welfare of birds (e.g. stocking density breach), food safety or the environment occurs on farm	Y	N	
DP.3	CB, CF, CP, EW, CH, CL, CD	Systems must be in place for recording, investigating and resolution of any complaints and/or sampling results that are	Y	N	



		relevant to the requirements of the Red Tractor Standards .				
DP.4	CB, CF, CP, EW, CH, CL, CD	Producers must notify their Certification Body of any notification of a positive coccidiostat (e.g. nicarbazin) residue found in poultry meat	Y	N		
Personnel		· · · ·				
PL.1 Key	CB, CF, CP, EW, CH, CL, CD	Systems must be in place to ensure all personnel are effectively trained and deemed competent to carry out the activities they are required to do.	Y	N		
PL.2	CB, CF, CP, EW, CH, CL, CD	Records of training must be kept.	Y	N		
PL.2.1	CB, CP, EW, CF, CL, CD, CH	Where eggs are hatched on-farm all personnel involved with the management of the system and associated processes (e.g. operation of IMD) must have received additional training	Y	N	n/a	
PL.3	CB, CF, CP, EW, CH, CL, CD	The performance and competence of employees must be regularly reviewed and refresher training implemented as required.	Y	Ν		
PL.3.1	CB, CF, CP, EW, CH, CL, CD	Producers must adopt British Poultry Training – Poultry Passport or Poultry Training Record, as the formal route for industry training and training recognition .	Y	N		
PL.4	CB, CF, CP, EW, CH, CL, CD	Where labour providers are used, they are licensed and a documented agreement is in place.	Y	N	n/a	
PL.5	CB, CF, CP, EW, CH, CL, CD	Written Health and Safety Policy	Y	N		



Traceability and	d Assurance					
			[
TI.1	СН	Birds/ chicks/ eggs must be identified and	Y	Ν		
		records kept to maintain traceability				
TI.2	CB, CF, CP, EW,	Eggs and/or chicks must be sourced from				
	CH, CL, CD	Red Tractor Assured breeder farms/	Y	Ν		
		hatcheries certified to the relevant scheme	1			
		standards				
TI.2.1	СН	RT assured hatcheries only handle RT	Y	N		
		assured eggs	ľ	IN		
Vermin Contro						
VC.1 Key	CB, CF, CP, EW,	There must be effective control of vermin .	Y	Ν		
	CH, CL, CD					
VC.2	CB, CF, CP, EW,	Toxic bait must be used responsibly.	Y	N	n/a	
	CH, CL, CD					
Housing, Shelte	er and Handling Faciliti	es				
HF.1 Key	CB, CF, CP, EW,	Housing /Hatchery must be constructed	Y	N		
	CH, CL, CD	and maintained to provide a safe and				
		secure environment for birds/ chicks				
HF.1.1	CB, CP, EW, CF,	The sound level in housing must be	Y	N		
	CL, CD	minimised				
HF.2	CB, CF, CP, EW,	Housing/ the hatchery must be	Y	N		
	CH, CL, CD	appropriately and effectively ventilated				
HF.2.1	CB, CF, CP, EW,	Temperature records must be kept	Y	N		
	CH, CL, CD					
HF.2.2	CB, CP, EW, CF,	A written policy must be in place outlining	Y	Ν		
	CL, CD	recognition of and procedures to be				
		followed in the event of heat or cold stress				
		occurring				
HF.2.3	СН	Eggs destined for dispatch for on-farm	Y	Ν		
		hatching must not be allowed to cool prior			n/a	
		to transportation				



HF.2.4	СН	Eggs destined for dispatch for on-farm hatching must be loaded into clean trays after candling	Y	N	n/a	
HF.3	CB, CP, EW, CF, CL, CD	Floors must be constructed and maintained in a manner that minimises the risk of injury	Y	N		
HF.4 Key	CB, CP, EW, CF, CL, CD	Conditions within the housing must be maintained in a manner that ensures birds are able to keep clean	Y	N		
HF.4.1	CB, CP, EW, CF, CL, CD, CH	Surfaces within housing/ hatchery must be in good condition and must be able to be cleaned and disinfected	Y	N		
HF.4.2	CB, CP, EW, CF, CL, CD	Flocks are provided with clean, fresh bedding to a minimum depth of 2cm	Y	N		
HF.4.3	CB, CP, EW, CF, CL, CD	Bedding must remain in a dry, friable condition	Y	N		
HF.4.4	CB, CP, EW, CF, CL, CD	Bedding stored in the open is stored on pallets and is covered	Y	N		
HF.4.5	CF	Fixed housing must have a minimum of a 1 metre 'door mat'	Y	N	n/a	
HF.4.6	CB, CP, EW, CF	Trays used for on-farm hatching of eggs must be cleaned and disinfected before return to the hatchery	Y	N	n/a	
HF.4.7	СН	Chicks must be loaded into clean chick boxes	Y	N	n/a	
HF.4.8	СН	Drains in production areas are accessible and cleanable	Y	N		
HF.5	CB, CP, CF	Housing /hatchery must be lit to allow normal behaviours, rest and effective inspection of birds /chicks	Y	N		



HF.5.1	CB, CP, EW, CF,	Lighting follows a 24 hour rhythm	Y	Ν		
HF.5.2	CL, CD CF	Birds must have access to the range for at	Y	N	n/a	
		least half their lives				
HF.5.3	CH	Facilities to reduce light must be available	Y	N	n/a	
HF.5.5	CB, CP, CF	Windows equating to a minimum of 3% of the floor area are fitted in all buildings which house birds	Y	Ν		
HF.5.6	EW	Windows must be fitted in all buildings which house birds	Y	N		
HF.6	CB, CP, EW, CF, CL, CD, CH	Housing/chick areas must be of sufficient size	Y	N		
Hf.6.1	CB, CP, EW, CF, CL, CD	Houses must have plates which highlight important information	Y	N		
HF.6.2	EW	If thinning is practiced, it must be limited to one thin per flock	Y	N	n/a	
HF.7	CB, CP, EW, CF, CL, CD	Housing areas must provide for the specific needs of young birds	Y	N		
HF.7.1	CB, CP, CF, EW	Where eggs are hatched on-farm they must not be allowed to cool on placement	Y	N	n/a	
HF.7.2	CB, CP, CF, EW	Where eggs are hatched on-farm, chicks must be able to easily reach the floor after hatching	Y	N	n/a	
HF.8	CB, CP, EW, CF, CL, CD, CH	Automatic equipment is inspected once a day	Y	N		
HF.8.1	CB, CP, EW, CF, CL, CD, CH	An alternative power supply must be available which is capable of supplying all essential electrical systems within the poultry houses/hatchery	Y	N		



HF.8.2	CB, CP, EW, CF,	An alarm system must be in place which	Y	N		
	CL, CD	alerts stockmen to ventilation equipment				
		failure				
HF.8.3	СН	Alarms must be responded to within 15	Y	Ν	,	
		minutes			n/a	
HF.8.4	СН	Incubation equipment is alarmed for high	Y	Ν	,	
		and low temperatures and mains failure			n/a	
HF.8.5	СН	All incubators in operation must be	Y	Ν		
		checked twice daily for temperature,			n/a	
		humidity and direction of turn				
HF.8.6	СН	Chick and egg disposal equipment must be	Y	Ν		
		checked daily by trained operators to				
		ensure it is working effectively, and a			n/a	
		record kept of the outcome				
HF.9	CB, CP, EW, CF,	Fire prevention measures must be taken	Y	N		
	CL, CD, CH					
Feed and Wate		I		L		
FW.1 Key	CB, CP, CF, EW,	Birds must be provided with sufficient feed	Y	Ν		
,	CL, CD					
FW.2	CB, CP, EW, CF,	Birds must be provided with sufficient	Y	Ν		
	CL, CD	access to feed				
FW.3 Key	CB, CP, EW, CF,	Birds must be provided with adequate	Y	Ν		
,	CL, CD	access to a supply of fresh, clean drinking				
	,	water				
FW.3.1	CB, CP, EW, CF,	A system must be in place to ensure that	Y	N		
	CL, CD	any water supply problems are identified				
		and rectified within a timescale that does				
		not compromise welfare				
FW.4	CB, CP, EW, CF,	Feed must be suitable	Y	N		
· · · · · · · · · · · · · · · · · · ·	CL, CD			I N		
	CL, CD					



FW.4.1	CF	Feed formulae must comply with the	Y	N		
	Ci	poultry meat marketing legislation			n/a	
FW.5	CB, CP, EW, CF,	Bought-in feed must be from an assured	Y	N		
1 44.5	CL, CD	source or in specific circumstances with	1			
	CL, CD	warranty declaration				
FW.6	CB, CP, EW, CF,	/	Y	N		
FVV.0		Records of all feedstuffs purchased must	ř	IN		
	CL, CD	be kept	X			
FW.7	CB, CP, EW, CF,	When mixing two or more feed materials	Y	N	n/a	
	CL, CD	together records must be kept				
FW.7.1	CB, CP, EW, CF,	Wheat for incorporation as whole wheat	Y	Ν		
	CL, CD	must be treated for the control of			n/a	
		Salmonella				
FW.8	CB, CP, EW, CF,	When the mix formulation changes	Y	N	n/a	
	CL, CD	samples must be kept				
FW.9	CB, CP, EW, CF,	If mixing using 'pre-mixtures', 'additives' or	Y	N	n/a	
	CL, CD	medicated feeds you have Local Authority				
		approval and meet any associated				
		obligations				
FW.10	CB, CP, EW, CF,	Mobile feed milling and/or mixing	Y	N	,	
	CL, CD	contractors must be suitably certified			n/a	
FW.11	CB, CP, EW, CF,	Controls must be in one place to minimise	Y	N		
	CL, CD	the risk of contamination of feeds by				
	,	machinery and equipment				
FW.12 Key	CB, CP, EW, CF,	Feed must be stored in a manner which	Y	N		
	CL, CD	minimises the risk of contamination	•			
Animal Health ar	,					
AH.1 Key	CB, CP, EW, CF,	A Flock Health Plan to proactively manage	Y	N		
	CL, CD, CH	and improve health and welfare of birds				
		must be established and implemented				
AH.1.1 Key	EW, CF	Only breeds acceptable to the Scheme can	Y	N		
		be used	I			



AH.2	CB, CP, EW, CF,	Records of the health and performance of	Y	Ν			
	CL, CD, CH	all birds must be maintained					
AH.3	CB, CP, EW, CF,	Health and performance records must be	Y	Ν			
	CL, CD	reviewed regularly					
AH.4	CB, CP, EW, CF,	The health and welfare of birds must be	Y	Ν			
	CL, CD, CH	met at all times					
AH.4.1	CB, CF, CP, EW	Environmental enrichment must be	Y	Ν			
		provided from day 3 at the latest					
AH.4.2	CB, CF, CP, EW	Where eggs are hatched on-farm they	Y	Ν	n/a		
		must not be placed until day 17 of the					
		incubation period					
AH.4.3	CB, CF, CP, EW	Only eggs that have been candled at the	Y	N			
		hatchery may be placed for hatching on the			n/a		
		farm					
AH.4.4	CB, CF, CP, EW	Where eggs are hatched on-farm, eggs are	Y	Ν	n/a		
		monitored regularly during hatching			17.4		
AH.5	CB, CP, EW, CF,	The health and welfare of birds must be	Y	Ν			
	CL, CD, CH	checked regularly					
AH.5.1	CB, CF, CP, EW	Signs of hock marking and pododermatitis	Y	Ν			
		must be monitored and recorded					
AH.6 Key	CB, CP, EW, CF,	Birds must be handled in a way that avoids	Y	Ν			
	CL, CD, CH	injury and minimises stress					
AH.7 Key	CB, CP, EW, CF,	All persons looking after the health and	Y	Ν			
	CL, CD	welfare of the birds/chicks must be					
		demonstrably competent					
AH.7.1	CB, CP, EW, CF,	There must be a named Welfare Officer	Y	Ν			
	CL, CD, CH	who is responsible for co-ordinating					
		welfare on-farm/in the hatchery					
AH.7.2 Key	CB, CP, EW, CF,	All poultry farms/hatcheries must retain the	Y	Ν			
	CL, CD, CH	services if a named veterinary surgeon on					
		practice					



		C: 1	V	NI		
АН.8 Кеу	CB, CP, EW, CF, CL, CD, CH	Sick or injured birds/chicks must receive prompt attention in order that suffering is not prolonged	Y	N		
AH.9 Key	CB, CP, EW, CF, CL, CD	Birds that do not respond to treatment or require emergency euthanasia must be promptly and humanely euthanased by a trained and competent person	Y	N		
AH.9.1	CB, CP, CF, EW	Where eggs are hatched on-farm, nonviable chicks must be promptly and humanely euthanased by a trained and competent person	Y	N	n/a	
AH.9.2	CB, CP, CF, EW	All equipment used for euthanasia of birds, chicks and embryos must be inspected daily by trained and competent staff to ensure it is working effectively	Y	N	n/a	
AH.10	CB, CP, EW, CF	Flocks must be monitored for Salmonella under the National Control Plan	Y	Ν		
AH.10.1	CL, CD	Breeder Layer and Breeder Replacement flocks must be monitored for Salmonella under the National Control Plan	Y	Ν		
AH.10.2	СН	Hatcheries must be monitored for Salmonella	Y	Ν		
AH.10.3	CL	Flocks must be tested to determine Mycoplasma gallisepticum and Mycoplasma synoviae status	Y	N	n/a	
AH.10.4	CF	Birds must not be slaughtered before 56 days of age	Y	Ν		
AH.10.5	CL, CD	Parent stock must be vaccinated with a licensed S. enteriditis and S. typhimurium vaccine	Y	N		
AH.10.6	CL	Moulting must not be induced	Y	Ν		



Hatchery Egg	S				
HC.1	CH	Eggs from flocks infected with Salmonella enteriditis or Salmonella typhimurium must not be admitted to the hatchery	Y	N	
HC.2	CH	All incoming eggs must be from breeder flocks certified Mycoplasma gallisepticum free and of known Mycoplasma synoviae status	Y	N	
HC.3	СН	One way product flow must be maintained from egg receipt to chick dispatch	Y	N	
HC.4	CH	Incoming air must be filtered and a positive airflow from eggs to chicks must be maintained	Y	N	
HC.5	CH	Differentiation must be maintained between 'clean' and 'dirty' areas	Y	N	
HC.6	CH	All eggs must be fumigated or sanitised prior to setting	Y	N	
HC.7	СН	Incubation hatcher and setter equipment must be easy to clean, in good working order and sealed to the floor	Y	N	
HC.7.1	СН	Automation and conveyors must not cause injury to chicks	Y	N	
HC.8	CH	The hatchery must have a dedicated egg store and designated setter room	Y	N	
HC.9	CH	Eggs must be stored in a temperature and humidity controlled room	Y	N	
HC.10	CH	Hatching eggs must be identifiable	Y	Ν	
HC.11	CH	The hatchery must retain production records for each consignment of eggs	Y	N	
HC.12	CH	Eggs and chicks must be transported in purpose built vehicles	Y	N	



HC.13	СН	A vehicle cleaning and sanitation policy is in	Y	Ν		
	CIT	place	•			
HC.14	СН	Injured or sick chicks must not be	Y	Ν		
		transported				
HC.15	СН	The time between hatch and unloading at	Y	Ν		
		the farm must not exceed 72 hours				
HC.16	СН	Chicks must be placed in clean, dry	Y	Ν		
		ventilated containers				
Breeder Layer Egg					1	
BE.1	CL	It is recommended that eggs are collected	Y	Ν	n/a	
(Recommended)		using an automated nest box system			17.4	
BE.2	CL	Egg collecting staff must sanitise their hands	Y	Ν		
		prior to handling eggs and between			n/a	
		handling floor eggs and nest eggs				
BE.3	CL	All eggs found to be cracked, defective or	Y	Ν	n/a	
		dirty must be identified and rejected. These				
		eggs must be kept separate from clean eggs				
BE.4	CL	Eggs must be collected at minimum	Y	Ν	n/a	
		frequencies				
BE.5	CL	All eggs selected for hatching must be	Y	Ν		
		placed in clean, dry trays and placed into			n/a	
		suitable storage rooms as soon as possible				
BE.6	CL	Hatching eggs must be marked with a black	Y	Ν	n/a	
		mark using an indelible pen			n/a	
BE.7	CL	Each trolley must be marked with the	Y	Ν	n/a	
		breeder farm and date laid			11/a	
BE.8	CL	Egg collection records must be kept	Y	Ν	n/a	
Biosecurity and Dis	sease Control					
BI.1 Key	CB, CP, EW, CF,	A documented Biosecurity Policy must be	Y	Ν	n/a	
	CL, CD, CH	in place			11/a	



BI.1.1	CB, CP, EW, CF,	The farm /hatchery entrance and exit for	Y	N		
	CL, CD, CH	vehicles must be secure			n/a	
BI.2	CB, CP, EW, CF, CL, CD, CH	Access to the farm must be limited to essential visitors only and visitor records	Y	N	n/a	
		, must be kept				
BI.3 Key	CB, CP, EW, CF, CL, CD, CH	The biosecure areas on the farm/hatchery must be defined	Y	N	n/a	
BI.4	CB, CP, EW, CF, CL, CD. CH	Controls on access to the site must be in place and risk of disease spread by vehicles must be minimised	Y	N	n/a	
BI.5 Key	CB, CP, EW, CF, CL, CD, CH	Farm dedicated protective clothing must be supplied to and worn by all when on- farm/in the hatchery	Y	N	n/a	
BI.6 Key	CB, CP, EW, CF, CL, CD, CH	Risk of disease spread from footwear is minimised	Y	N	n/a	
BI.7 Key	CB, CP, EW, CF, CL, CD, CH	Hand cleanliness is maintained	Y	N	n/a	
BI.8 Key	CB, CP, EW, CL, CD	The farm must operate a period free of all birds between flock cycles	Y	N	n/a	
BI.8.1	CF	Each biosecure bird area, including each brood house must operate a period free of all birds between flock cycles	Y	N	n/a	
BI.8.2	CB, CP, EW, CF, CL, CD	It is only permitted to move birds to another building where free range birds are being moved from brood houses to finishing sites NEW	Y	N	n/a	
BI.8.3	CB, CP, EW, CL, CD	Turnaround times between flocks on farm must be no less than 5 calendar days	Y	N	n/a	
BI.9	CB, CP, EW, CL, CD	Permanent standing water must not accumulate on the farm	Y	N	n/a	



DI 10				N	1	
BI.10	CB, CF, CP, EW,	Employed and contracted staff must not	Y	N	n/a	
	CH, CL, CD	keep other poultry or any avian species				
BI.11	CB, CP, EW, CF,	Toilets, offices, stores and break rooms	Y	N	n/a	
	CL, CD, CH	must be kept clean and tidy				
BI.12	CB, CP, EW, CF,	There must be no smoking or	Y	N	n/a	
	CL, CD, CH	consumption of food within bird areas				
BI.13	CB, CP, EW, CF,	Pets and other animals must not have	Y	N		
	CL, CD, CH	access to poultry houses and service			n/a	
		buildings				
BI.14	CF	Farms must be capable of implementing a	Y	N	,	
		compulsory housing order			n/a	
BI.14.1	CF	It is recommended that each free range	Y	N		
(Recommendation)		farm should only rear a single species at			n/a	
		any given time				
Animal Medicines			.		<u> </u>	
AM.1 Key	CB, CP, EW, CF,	Only authorised veterinary medicines are	Y	N		
	CL, CD, CH	used			n/a	
AM.2 Key	CB, CP, EW, CF,	Veterinary medicines must be used	Y	N	,	
	CL, CD, CH	appropriately			n/a	
AM.3	CB, CP, EW, CF,	Veterinary medicines must only be	Y	N		
	CL, CD, CH	administered by demonstrably competent			n/a	
	, ,	Dersons				
AM.4	CB, CP, EW, CF,	Veterinary medicines must be stored	Y	N		
	CL, CD, CH	appropriately			n/a	
AM.5	CB, CP, EW, CF,	Purchase records for all veterinary	Y	N		
	CL, CD, CH	medicines must be kept			n/a	
AM.6 Key	CB, CP, EW, CF,	Records must be kept of all administered	Y	N	n/a	
	CL, CD, CH	veterinary medicines (paper and/or	'		1.0	
	CL, CD, CH	electronic)				



AM.7		Vatariaan, madicines, their containers and	Y	Ν	n/a	
	CB, CP, EW, CF,	Veterinary medicines, their containers and	I	IN	n/a	
	CL, CD, CH	administration equipment must be				
		disposed of responsibly				
AM.8	CB, CP, CF, EW	Total antibiotic used per crop must be	Y	Ν		
		measured as milligrams active antibiotic per			n/a	
		population corrective unit (mg/PCU) and			n/a	
		recorded				
AM.8.1	CB, CP, CF, EW,	Prophylactic administration of antibiotics is	Y	N		
	CL, CD	only permitted in exceptional			n/a	
		circumstances (Revised)				
AM.8.2	CB, CP, EW, CF,	Antibiotic use must be supported by	Y	Ν	,	
	CL, CD	veterinary intervention			n/a	
AM.9 Key	CB, CP, EW, CF,	The use of 3rd and 4th generation	Y	Ν		
-	CL, CD	cephalosporins, glycopeptides and colistin			n/a	
		are not permitted				
AM.9.1 Key	CB, CP, EW, CF,	Use of macrolides and fluroquinolones	Y	Ν		
-	CL, CD	must only be as a last resort, under			n/a	
		veterinary direction				
AM.10 Key	CB, CP, EW, CF,	Prescribed withdrawal periods must be	Y	Ν	,	
_	CL, CD	correct and complied with			n/a	
Husbandry Proced	ures	· · · · · · · · · · · · · · · · · · ·			•	
HP.1	CB, CP, CF, EW	Mutilations are not permitted	Y	N	n/a	
HP.2	CL, CD	Husbandry procedures are carried out by	Y	N		
		competent persons in accordance with			,	
		scheme requirements and only when			n/a	
		necessary				
Fallen Stock						
FS.1	CB, CP, EW, CF,	Fallen stock must be removed from	Y	Ν	n/a	
	CL, CD, CH	housing/pens/fields				
FS.2 Key	CB, CP, EW, CF,	Carcases of fallen and euthanised stock and	Y	Ν	n/a	
-	CL, CD. CH	IMD waste must be stored securely and in				



					1	
		a manner that protects them from vermin				
		and other animals				
FS.3	CB, CP, EW, CF,	Carcases must be disposed of correctly,	Y	N	n/a	
	CL, CD, CH	either by a licenced collector or by				
		approved on-farm incineration				
Environmental Pro	tection and Contam	ination				
EC.1 Key	CB, CP, EW, CF,	Potential pollutants must be stored in a	Y	N	n/a	
	CL, CD, CH	manner that minimises the risk of				
		contamination and pollution to crops,				
		feedstuffs, animals, soils, groundwater and				
		watercourses.				
EC.1.1	CB, CP, EW, CF,	Organic manures must be stored in a	Y	N	n/a	
	CL, CD, CH	manner that minimises the risk of				
		contamination and pollution to crops,				
		feedstuffs, animals, soils, groundwater and				
		watercourses.				
EC.2	CB, CP, EW, CF,	In the case of packaging breakages potential	Y	N	n/a	
	CL, CD, CH	pollutants must be transferred to a suitable				
		container				
EC.4 Key	CB, CP, EW, CF,	PPPs must be approved and appropriate	Y	N	n/a	
,	CL, CD, CH	for their intended use.				
EC.4.1	CB, CP, EW, CF,	PPPs are mixed/handled in a manner that	Y	N	n/a	
	CL, CD, CH	minimises the risk of contamination and				
	,,	pollution.				
EC.5 Key	CB, CP, EW, CF,	PPPs must be applied in a manner that	Y	N	n/a	
	CL, CD, CH	minimises the risk of contamination and	•			
		pollution				
EC.6	CB, CP, EW, CF,	PPP application must be undertaken by	Y	N	n/a	
	CL, CD, CH	competent operators.	•			
EC.7	CB, CP, EW, CF,	All PPP application equipment must be	Y	N	n/a	
	CL, CD, CH	maintained and tested.				
	\Box , \Box , \Box , \Box			l	1	



EC.8	CB, CP, EW, CF,	Records must be kept of all PPP	Y	Ν	n/a	
	CL, CD, CH	applications.	•	IN	11/4	
			Y	NI		
EC.8.1	CB, CP, EW, CF,	Where PPPs are used on crops an	Y	Ν	n/a	
	CL, CD, CH	Integrated Pest Management (IPM) plan is				
		completed				
EC.9 Key	CB, CP, EW, CF,	Manufactured fertilisers and organic	Y	Ν	n/a	
	CL, CD, CH	manures must be applied in a manner that				
		minimises the risk of contamination and				
		pollution.				
EC.9.c	CB, CP, EW, CF,	A manure management plan (MMP) is kept	Y	Ν	n/a	
	CL, CD, CH	and followed when applying organic				
		manures to land				
EC.10	CB, CP, EW, CF,	All manufactured fertiliser application	Y	N	n/a	
	CL, CD, CH	equipment must be maintained and				
		calibrated at least annually				
EC.11 Key	CB, CP, EW, CF,	All wastes which cannot be utilised are	Y	N	n/a	
	CL, CD, CH	disposed of in a manner that minimises the				
		risk of contamination and pollution.				
EC.12	CB, CP, EW, CF,	Systems are in place to manage waste	Y	N	n/a	
20.12	CL, CD, CH	responsibly.	•		17.4	
Depopulation	CL, CD, CH					
DE.1	CB, CP, EW, CF,	The person responsible for birds must be	Y	N	n/a	
	CL, CD	present at depopulation			11/4	
DE.2			Y	N	n/a	
	CB, CP, EW, CF,	A loading area must be available for the	T	IN	n/a	
	CL, CD	loading of birds for transport and must be				
		clean, tidy and hygienically managed	.,		ļ,	
DE.3 Key	CB, CP, EW, CF,	Feed must not be withdrawn for more	Y	Ν	n/a	
	CL, CD	than nine hours prior to catching				
DE.4	CB, CP, EW, CF,	Water must be available up to catching	Y	Ν	n/a	
	CL, CD					



DE.5	CB, CP, EW, CF, CL, CD	There must be a system in place for a designated person to inspect forklifts and other catching equipment, including catchers' transport, for cleanliness and disinfection with a Defra approved disinfectant prior to entry to the biosecure area	Y	N	n/a	
DE.6	CB, CP, EW, CF, CL, CD	Clean and tidy facilities must be made available for catchers to use during breaks	Y	N	n/a	
Urea Standard						
UR.1	CB, CF, CP, EW, CH, CL, CD	Fertiliser containing urea must only be applied within the agreed parameters	Y	N	n/a	